TWINTEC The Compact Single Disc

The TwinTec 1840 cable machine has been designed to address the question of size being exceptionally compact, yet with performance equal to bigger machines.

The compact design really does allow this machine to clean in areas normally cleaned by hand, yet 30% to 40% faster and better.

Although designed for small and congested areas the TT1840 is equally at home in larger areas and can be used in conjunction with our cable roll, "the cable reel that rolls", extending the cable length from 20m to 40m without any loss of performance.

The style and proportion of the polyform water tanks allow for the machine to adopt a convenient tilt position with only approximately 5 litres in the clean water tank to facilitate single handed brush or pad changing.





Convenient

Fold flat design for easy transport from site to site.

- Rugged Construction Tough all steel chassis design.
- Fully Adjustable Handle For the perfect working position.
- Low Noise

Quieter, unobtrusive design means true versatility.

Easy Change

Easy one handed brush or pad changing.



Visible operation

Model	Brush Motor	Vac Motor	Power	Brush Speed	Range	Pad/Brush Width	Capacity	Weight	Dimensions (WxLxH)
TT1840	400W	300W	220-240V 50Hz	150rpm	42m	360/400mm	18L	40kg	520x880x1132mm



Simple controls



Easy and generous fill cap

Power when you need it

One very big advantage of small machines is they can easily be moved from site to site (job to job) (contract to contract) and to facilitate this we have allowed the operator handle to fold flat for transit purposes and yet have the full range of operator adjustment when in use.

The style and proportion of the polyform water tanks allow for the machine to adopt a convenient tilt position with only approximately 5-litres in the clean water tank to facilitate single handed brush or pad changing.





Specifications



Brush Motor		Power	Fluid flow tap at 45°	Pad/Brush pressure	Cleaning Range	Pad/Brush width	Capacity	Weight	Brush Speed	Dimensions WxLxH
400W	300W	220-240V 50Hz	0.35 L/min (60mins)	27.4/ 26.2 g/cm ²	42m	36/40cm	18L	40kg	150rpm	520x880x 1132mm









Numatic International Limited, Chard, Somerset, TA20 2GB Tel: 01460 68600 Fax: 01460 68458 Numatic International Limited 2013. Specification subject to change without prior notice.244236/0313



TwinTec...

The TwinTec 1840 cable machine has been designed to address the question of size being exceptionally compact, yet with performance equal to bigger machines.



