

DAILY MAINTENANCE CHART

NTTV4555DMVNo1

NUMATIC TWINTEC BATTERY

TTV4555

AFTER EVERY DAY, ENSURE THAT YOU COMPLETE THE FOLLOWING 6 STEPS



1.



Empty the recovery tank and rinse thoroughly with clean water.

2.



Clean out the debris filter basket located under the separator hood.

3.



Ensure the separator seal is clean and undamaged. Replace if necessary.

4.



Clean suction pod filter located in the separator hood behind the black flap.

5.




IMPORTANT: *Clean underside of squeegee from dirt and debris.*

6.



Plug the machine in for charging.



REPORT ALL DAMAGES AND TECHNICAL ISSUES TO THE SUPERVISOR

WEEKLY MAINTENANCE CHART

NUMATIC TWINTEC BATTERY TTV4555

AFTER EVERY WEEK, ENSURE THAT YOU COMPLETE THE FOLLOWING 4 STEPS



1.



Check all hoses for damage, holes and obstructions. Clean and replace as necessary.

2.



Thoroughly clean top separator hood and seal.

3.



IMPORTANT: Remove squeegee and check for wear and damage. Clean thoroughly.

4.



Remove brushes/pad drives and check for wear and damage.



REPORT ALL DAMAGES AND TECHNICAL ISSUES TO THE SUPERVISOR

WEEKLY MAINTENANCE CHECKLIST

NTTV4555WMCVNo3

NUMATIC VARIO TTV4555



DATE: ___/___/___

1	GENERAL	DONE
a	Check underneath of machine for any stuck debris.	
b	Check exterior of machine for all over for damage or wear.	
c	Check battery compartment for dirt and dust, clean accordingly.	
2	BRUSH DECK	DONE
a	Remove brushes/pad drives and check for wear or damage.	
b	Check brush skirts for wear and damage.	
3	SQUEEGEE	DONE
a	Check blades are clean with no rips or other damage.	
b	Check wheels are turning freely and are in good order.	
c	Check underneath of squeegee is clean and clear of debris.	
4	HOSES	DONE
a	Check recovery tank drain hose is secure with no blockages or damage.	
b	Check squeegee to recovery tank hose is clear with no blockages or damage.	
5	TANKS	DONE
a	Check white barrel filter for vacuum is clean and free of obstruction.	
b	Check recovery tank is clean and filter basket is clean.	
c	Check top recovery tank lid seal is clean and undamaged.	
d	Check clean water filter for cleanliness. (Located at rear of batteries on the right hand side under blue cap)	

Comments:	

REPORT ALL DAMAGES AND TECHNICAL ISSUES TO THE SUPERVISOR