



TWIN-TOP
T·T/E 1100, T·T/V 1100

The comfortable, powerful ride-on suction sweeper

Stolzenberg GmbH & Co. KG
Hamburger Str. 15-17
49124 Georgsmarienhütte
Telefon +49(0) 54 01 83 53-0
Telefax +49(0) 54 01 83 53-11
Deutschland

www.stolzenberg.com



TWIN·TOP


T·T/E 1100, T·T/V 1100



TWIN·TOP

– suction sweeping at its best with plenty of comfort

The “TRS”-principle



The “TRS”-principle

The Twin-Top combines the effective tandem-roller-system “TRS” from Stolzenberg with a powerful dust removal system. The lateral brushes sweep the refuse in front of the first roller brush. This brush, together with the second roller, transports the dirt on the basis of the overthrow principle into the dirt collector, which can be filled up to 75% of capacity. The dust removal system reliably traps the fine dust in the large filter which can be cleaned electrically whenever necessary. The Twin-Top is capable of rolling over and sweeping up even large refuse items such as bottles. The rear-axle drive means that it can also climb ramps with a grade of up to 20%. Typical uses are car-parks, industrial halls, warehouses, paths and all types of hard-floor surfaces.

The Twin-Top is the manoeuvrable riding suction sweeper from Stolzenberg with particularly strong sweeping performance. Equipped with a stable frame made of powder-coated steel and impact-proof panelling, it is extremely sturdy. The compact design allows an unhindered view all around the chassis and the pivoting lateral brushes, which avoid obstacles independently. In addition to its outstanding performance as a sweeper, the Twin-Top provides plenty of comfort. All of the control elements are clearly and ergonomically arranged. The particularly small turning circle of about 1 m allows you to manoeuvre precisely, even in a tight space.

The unbeatable advantages

- The TRS from Stolzenberg
- The extremely stable frame with the impact-proof panelling made of up to 10mm thick PE
- The particularly simple technical access; for example, a roller can be changed in less than 3 minutes without using tools
- The drive concept without using belts, an invaluable advantage when used in dusty, abrasive surroundings
- Drive on rear-wheels, direct drive of all brooms
- The 6 independent electric motors of the TT/E
- The extremely small turning circle of <1 m

TWIN·TOP

T·T/E 1100, T·T/V 1100


Servicefreundliche Konstruktion
Service-friendly design



Der leichte Zugang zur Technik.
Ease of technical access.



Der besonders große, stabile aber trotzdem leichte Staubbehälter.
The particularly large, stable, but nevertheless light dirt collector.



Der werkzeuglose Walzen- und Filterwechsel.
The change of rollers and filters without tools.



Die selbstausweichenden Seitenbesen.
The lateral brooms which independently avoid obstacles.



Die Hochentleerung (optional).
High-dumping System (optional).



Der solide Stahlrahmen und die schlagfeste Verkleidung.
Solid steel frame and impact-proof panelling.

TWIN·TOP

– Ein durchdachtes Konzept

TWIN·TOP

– a well thought out concept

Weitere Optionen
Additional options

T·T/E 1100

- 2 Seitenbesen
- Versch. Sorten von Seitenbesen und Walzenbürsten (z.B. Draht, Polyamid, PP + Draht, Natur), Bereifungen (Vollgummi- und Luftbereifungen) und Farben
- Rundumleuchte, Arbeitsscheinwerfer, Blinker
- 3. und 4. Seitenbesen
- Hochentleerung bis 135 cm
- 3 verschiedene Batterietypen, Rückfahrsignal
- Polyesterfilter, Zentralnachfüllsystem für Nassbatterien
- Anhänger
- Und vieles mehr

- 2 lateral brooms
- Various types of lateral brooms and roller brooms (e.g., wire, polyamide, PP + wire, natural), tyres (solid rubber and air-filled) and colours
- 360° Warning beacon, warninglight, indicators
- 3rd and 4rd sidebrooms
- High-dumping System up to 135 cm
- 3 different battery types, Reverse-gear signal
- Polyester filter, Central refill System for lead-acid batteries
- Trailer
- And many more

T·T/V 1100

- 2 Seitenbesen
- Versch. Sorten von Seitenbesen und Walzenbürsten (z.B. Draht, Polyamid, PP + Draht, Natur), Bereifungen (Vollgummi- und Luftbereifungen) und Farben
- Rundumleuchte, Arbeitsscheinwerfer, Blinker
- 3. und 4. Seitenbesen
- Hochentleerung bis 135 cm
- Rückfahrsignal
- Polyesterfilter
- Anhänger
- Gas-Antrieb
- Und vieles mehr

- 2 lateral brooms
- Various types of lateral brooms and roller brooms (e.g., wire, polyamide, PP + wire, natural), tyres (solid rubber and air-filled) and colours
- 360° Warning beacon, warninglight, indicators
- 3rd and 4rd sidebrooms
- High-dumping System up to 135 cm
- Reverse-gear signal
- Polyester filter
- Trailer
- LPG-conversion
- And many more



